

## HOW TO... CHECK SIGNAL

You can use the LinkThru Install App on your mobile phone or tablet, for real-time feedback on the device signal strength and data accuracy when installing LinkThru TMU devices.


The app is fully integrated with the LinkThru platform and is the recommended way to install TMU devices.

You can access the install app using a web browser on your mobile or tablet and accessing the following url:


<http://linkthru.gemex-engine.com/dp/hw-install>

### Performing a signal check

Before installing a TMU, ensure there is sufficient Sigfox signal strength at the installation location. You will require access to the LinkThru Install App and a TMU.




(1) Once logged into the application, the main app menu will be displayed. Select 'Signal check'.



(2) Search for and select the device ID to perform the signal check.


(3) Once the device ID is selected, instructions will be displayed on how to set up the device.

(4) Select 'View results' button once the installation mode has been activated on the device, to view the results of the signal check.



(5) This screen will be displayed until a message has been received by the TMU device. It will automatically update when messages are received.

(6) A progress status is displayed, informing the amount of time remaining for the signal check.





(7) Once complete the signal check results will be displayed, providing an overview on the number of messages received and feedback on the strength of the Sigfox signal.

If the Sigfox signal is weak, you may require a TMU Repeater.

Should this be the case, please contact our Customer Service team on 0118 969 1611 to discuss your requirements.